

Issue No: 52 June 2009







Funded by



	S/N	Crop Information Page	Image							
	1	Crop Stage, Crop Condition and Adverse Factor1-4								
	2	Crop Maps         5	Crop Stage D Energencies E Vegetative Z Dormancy							
		Rainfall Situation	Append Early State (State ) Sta							
	3	Rainfall Situation6								
	4	Rainfall Graphs7-8								
	5	Rainfall Data9								
	Temperature									
	6	Average Temperature10								
	7	Maximum and Minimum Temperature11	Blacklasher Bur tempor							
์ กั		Normalized Difference Vegetation Index (NDVI)	State Companies of Assessment State Companies							
	8	Comparison of (NDVI)12								
		Snow Information	ar yearlas							

Afghanistan Snow Depth......13

## **Summary**

Afghanistan experienced light precipitation during NDVI shows large increase in June 2009. Comparison of rainfall data shows significant increase of rainfall over the same period of last year and long term average all over the country.

Comparison of temperature data for the month June 2009 compared to the same month of June 2009 shows a small decrease over the same period of 2008.

Jalalabad with 46 C<sup>0</sup> was the warmest spot in the country.

Northeastern region, small increase of NDVI value was reported in June 2009 over the same period of long term average.

Wheat as a dominant cereal crop has been harvested during June 2009 in majority of the areas of the country.

In some parts of the country as in central highland wheat is in grain filling stage.

Zone	Province	District	Station	Wheat Crop Stage	<b>Crop Condition</b>	Adverse Factor
		Shakardara	Karizmir	Grain filling	Good (better than normal)	Not existed
	Kabul	Paghman	Paghman	Grain filling	Good (better than normal)	Excessive weeds
	Kabui	Darulaman	Darulaman	Grain filling	Good (better than normal)	Not existed
		Sarubi	Sarubi	Harvesting	Normal	Not existed
		Dara	Dara	Grain filling	Normal	Rust, excessive weeds and cut worm
Central	Panjsher	Dashtak	Dashtak	Grain filling	Normal	Rust, excessive weeds and cut worm
Central	D	Ghorband	Syagerd	Grain filling	Good (better than normal)	Not existed
	Parwan	Charikar	Charikar	Harvesting	Good (better than normal)	Not existed
	Vonice	Mahmoodraqi	Mahmoodraqi	Harvesting	Poor	Hail and excessive weeds
	Kapisa	Kohistan	Kohistan	Harvesting	Poor	Hail and excessive weeds
	XX/1-1-	Chak	Chak	Grain filling	Good (better than normal)	Not existed
	Wardak	Jaghatoo	Jaghatoo	Grain filling	Good (better than normal)	Not existed
	l Bamyan	Bamyan	Bamyan	Flowering	Good (better than normal)	Not existed
East Central		Yakawlang	Yakawlang	Flowering	Good (better than normal)	Not existed
		Panjab	Panjab	Flowering	Good (better than normal)	Not existed
	Nangarhar	Agam	Agam	Harvesting	Normal	Not existed
		Batikot	Ghaziabad	Harvesting	Normal	Not existed
		Jalalabad	Sheshembagh	Harvesting	Normal	Not existed
Eastern		Jalalabad	Farm Jadeed	Harvesting	Normal	Not existed
	Konar	Asmar	Asmar	Harvesting Good (better than normal) Not exist	Not existed	
	Kullai	Asadabad	Asadabad	Harvesting	Good (better than normal)	Not existed
	Laghman	Mihtarlam	Mihtarlam	Harvesting	Good (better than normal)	Not existed
	75 1 I	Bangi	Bangi	Harvesting	Normal	Not existed
	Takhar	Taluqan	Taluqan	Harvesting	Normal	Not existed
		Imam Sahib	Imam Sahib	Harvesting	Good (better than normal)	Not existed
Northeast	Kunduz	Aqtipa	Aqtipa	Harvesting	Good (better than normal)	Not existed
1401 tileast		Chardara	Chardara	Harvesting	Good (better than normal)	Not existed
		Kunduz	Kunduz	Harvesting	Good (better than normal)	Not existed
	Baghlan	Baghlan Jadid	Pozaishan	Harvesting	Good (better than normal)	Not existed
	Badakhshan	Faizabad	Faizabad	Grain filling	Good (better than normal)	Not existed

Data Source: MAIL, Agromet Network, AMA, USGS, FAO

	H-3
ľ	6
	5
	ಶಿ
	9
	$\sigma$
	<u>a</u>
	5
	vo.
	$\leq$
	<b>-</b>
	Ħ
	⋖
0	9
	6
	<b>E</b>
	$\Xi$
	œ.
	<u></u>
i	
ĺ	Œ.
	9

2

Crop Stage, Crop Condition and Adverse Factor							
Zone	Province	District	Station	Wheat Crop Stage	<b>Crop Condition</b>	Adverse Factor	
		Khost	Khost	Harvesting	Normal	Not existed	
	Khost	Shimal	Shimal	Harvesting	Normal	Not existed	
		Ali Sher	Ali Sher	Harvesting	Normal	Not existed	
	Paktai	Zormat	Rohani Baba	Harvesting	Good (better than normal)	Not existed	
South Eastern		Gardiz	Tera	Harvesting	Good (better than normal)	Not existed	
South Eastern		Urgon	Urgon	Harvesting	Good (better than normal)	Not existed	
	Paktika	Sharana	Sharana	Harvesting	Good (better than normal)	Not existed	
		Khairkot	Khairkot	Grain filling	Good (better than normal)	Not existed	
	G1 .	Muqur	Muqur	Grain filling	Normal	Not existed	
	Ghazni	Bande Sardi	Bande Sardi	Grain filling	Normal	Not existed	
	Nimroz	Zaranj	Zaranj	Harvesting	Poor	Low precipitation	
	Kandahar	Kandahar	Kandahar	Harvesting	Normal	Not existed	
	Zabul	Qalat	Qalat	Harvesting	Normal	Not existed	
Southern	Urozgan	Trinkot	Trinkot	Harvesting	Normal	Not existed	
Southern	Hilmand	Nad Ali	Nad Ali	Harvesting	Good (better than normal)	Not existed	
		Greshk	Greshk	Harvesting	Good (better than normal)	Not existed	
		Nawa	Nawa	Harvesting	Good (better than normal)	Not existed	
		Lashkargah	Bolan	Harvesting	Good (better than normal)	Not existed	
	Balkh	Dihdadi	Dihdadi	Harvesting	Good (better than normal)	Not existed	
	Daikii	Nahrishahi	Nahrishahi	Harvesting	Good (better than normal)	Not existed	
	T	Sheberghan	Darzab	Harvesting	Good (better than normal)	) Not existed	
	Jawzjan	Darzab	Darzab	Harvesting	Good (better than normal)	Not existed	
North	G1	Saripul	Saripul	Harvesting	Good (better than normal)	Not existed	
	Saripul	Sozmaqala	Sozmaqala	Harvesting	Normal	Not existed	
	Faryab	Maimana	Maimana	Harvesting	Good (better than normal)	Not existed	
	Comonoco	Aibak	Aibak	Harvesting	Good (better than normal)	Not existed	
	Samangan	Dara Souf	Dara Souf	Grain filling	Good (better than normal)	Excessive weeds	
	Badghis	Qalainow	Qalainow	Harvesting	Excellent	Not existed	
	Daugilis	Muqur	Muqur	Harvesting	Excellent	Not existed	
	Ghor	Chaghcharan	Chaghcharan	Grain filling	Normal	Not existed	
		Shindand	Shindand	Harvesting	Good (better than normal)	Not existed	
Western	Hirat	Zindajan	Zindajan	Harvesting	Good (better than normal)	Not existed	
		Hirat	Falahat	Harvesting	Good (better than normal)	Not existed	
		Hirat	Urdokhan	Harvesting	Good (better than normal)	Not existed	
	Farah	Farah	Farah	Harvesting	Excellent	Not existed	

Data Source: MAIL, Agromet Network, AMA, USGS, FAO

# Afghanistan's Monthly Agromet Bulletin


3

# **Crop Stage, Crop Condition and Adverse Factor**


Zone	Province	District	Station	Maize Crop Stage	<b>Crop Condition</b>	<b>Adverse Factor</b>
Central	Kabul	Sarubi	Sarubi	Emergence	Not visible	Not seen
		Agam	Agam	Planting	Not visible	Not seen
		Batikot	Ghaziabad	Planting	Not visible	Not seen
	Nangarhar	Jalalabad	Sheshembagh	Planting	Not visible	Not seen
Eastern		Jalalabad	Farm Jadeed	Planting	Not visible	Not seen
		Asmar	Asmar	Planting	Not visible	Not seen
	Konar	Asadabad	Asadabad	Planting	Not visible	Not seen
	Laghman	Mihtarlam	Mihtarlam	Planting	Not visible	Not seen
		Bangi	Bangi	Planting	Not visible	Not seen
	Takhar	Taluqan	Taluqan	Planting	Not visible	Not seen
		Imam Sahib	Imam Sahib	Emergence	Not visible	Not seen
NI 41 4	T7 1	Aqtipa	Aqtipa	Emergence	Not visible	Not seen
Northeast	Kunduz	Chardara	Chardara	Emergence	Not visible	Not seen
		Kunduz	Kunduz	Emergence	Not visible	Not seen
	Baghlan	Baghlan Jadid	Pozaishan	Emergence	Not visible	Not seen
	Badakhshan	Faizabad	Faizabad	Planting	Not visible	Not seen
		Khost	Khost	Emergence	Not visible	Not seen
	Khost	Shimal	Shimal	Emergence	Not visible	Not seen
		Ali Sher	Ali Sher	Emergence	Not visible	Not seen
South Eastern	Paktai	Gardiz	Rohani Baba	Planting	Not visible	Not seen
South Editoria		Gardiz	Tera	Planting	Not visible	Not seen
		Urgon	Urgon	Planting	Not visible	Not seen
	Paktika	Sharana	Sharana	Planting	Not visible	Not seen
		Khairkot	Khairkot	Planting	Not visible	Not seen
	Kandahar	Kandahar	Kandahar	Planting	Not visible	Not seen
	Zabul	Qalat	Qalat	Planting	Not visible	Not seen
	Urozgan	Trinkot	Trinkot	Planting	Normal	Not existed
Southern		Nad Ali	Nad Ali	Emergence	Not visible	Not seen
	Hilmand	Greshk	Greshk	Emergence	Not visible	Not seen
	Hillianu	Nawa	Nawa	Emergence	Not visible	Not seen
		Lashkargah	Bolan	Emergence	Not visible	Not seen
	Balkh	Dihdadi	Dihdadi	Emergence	Not visible	Not seen
	Dainii	Nahrishahi	Nahrishahi	Emergence	Not visible	Not seen
	Jawzjan	Sheberghan	Sheberghan	Planting	Not visible	Not seen
	5 a w Zjan	Darzab	Darzab	Planting	Not visible	Not seen
North	Saripul	Saripul	Saripul	Planting	Not visible	Not seen
		Sozmaqala	Sozmaqala	Planting	Not visible	Not seen
	Faryab	Maimana	Maimana	Planting	Not visible	Not seen
	Samangan -	Aibak	Aibak	Planting	Not visible	Not seen
		Dara Souf	Dara Souf	Planting	Not visible	Not seen
	Badghis	Qalainow	Qalainow	Planting	Not visible	Not seen
	Hirat	Shindand	Shindand	Emergence	Not visible	Not seen
Western		Hirat	Urdokhan	Emergence	Not visible	Not seen
	Farah	Farah	Farah	Emergence	Not visible	Not seen

Data Source: MAIL, Agromet Network, AMA, USGS, FAO


### Wheat Crop Stage - June 2009



Wheat Crop Condition - June 2009



Wheat - Adverse Factor June 2009



### **Precipitation**

However wet season for the country has given way The percentage +/\_ of rainfall shown in next to more typical dry weather during the month of page table(1). June 2009 which is typical for this time of year, but light precipitation continued particularly to the Comparison of rainfall data for the month of high elevations and major of the country received light precipitation in June 2009.


Rainfall for the month of June 2009 had significant compared to the same month of long term averincrease compared to the same month in 2008 around the country.

Comparison of rainfall data for the month of June 2009 with the same month in 2008 chart(1) shows significant increase of rainfall during the month of June 2009 over the same month of last year in The percentage +/\_ of rainfall shown in next most stations except Khost and Urgon where rainfall had a decrease during the month of June 2009 compared to the same month in 2008.

June 2009 with the same month of long term average chart(2) shows significant increase of rainfall during the month of June 2009 age around the country.

During the month of June 2009 most parts of the country received good rainfall which was sufficient for current agricultural season.


page table (2)




different regions of the country.


As map (4) shows the Northeastern region received much rainfall compared to other regions during the month of June, the Northern region,

Rainfall distribution usually was variable in Central Highlands, Capital region, Southeastern region and some parts of Eastern region precipitation experienced light and Southern, Southwestern and Western regions experienced dry weather.





Name	Actual Rainfall June 2009	Last year Rainfall June 2008	Long Term Average
Aibak	7	0	7.3
Asmar	33	8	13.5
Baghlan	7	0	0.3
Bamian	15	0	8.8
Chardara	10	0	0.4
Cheghchran	17.2	0	0.4
Dara e soof	4	0	0.7
Darulaman	3.9	0	1.8
Faizabad	62	0	7.3
Farah	0	0	0
Gardiz	13.3	0	4.3
Ghazi Abad	0	0	0
Ghazni	14	0	2.2
Hirat	0	0	0
lmam Sahib	0	0	0
Jalalabad	9	0	0.9
Kabul	10.8	0	4.8
Kandahar	0	0	0.6
Kariz mir	25	0	3.2
Khust	18	34	17.7
Kunduz	7.5	0	0.2
Laghman	2	0	4
Lashkargah	0	0	0
Lugar	4.9	0	1.7
Mazar	2	0	0
Mukur	0	0	0.2
Paghman	23	4	2.4
Qalal e naw	0	0	0
Sarday	0	0	0.7
Sari pul	0	0	0
Sarobi	4	0	0.9
Sheberghan	0	0	0
Shindand	0	0	0
T-1	8	0	6.5
Taluqan	<u> </u>	+	<u> </u>
Urgon	0	30	12
	0	30 0	0




Jalalabad with 46  $C^0$  was the warmest spot in the country during the month of June 2009

Chart (3) shows maximum and minimum temperatures for the month of June 2009 around the country, where Jalalabad with 46 C<sup>0</sup> was the warmest sopot of the country in June 2009.

warmest spot of the country in June 2009.

Logar with 6  $C^0$  experienced lowest temperature.

### Temperature for the Month of June 2009




Temperature for the month of June 2009 was lower compared to the same month of in 2008 around the country.


Temperature for the month of June 2009 was lower compared to the same month in 2008 around the country.

Comparison of monthly average temperature for the month of June 2009 with the same month in 2008 chart(4) shows a decrease of temperature during the month of June 2009 over the same month of last year all over the country so, temperature remained slightly colder than last year.

Temperature had negative departure in most stations except in Bamyan where temperature was higher compared in June 2008. Temperature departure was 2-10 °C in most stations.

### Comparison of NDVI June 2009





**NDVI: June 2009** 


Comparison of monthly average of NDVI for the month of June 2009 with the same month in 2008 map(5) shows large increase of NDVI in the Northern region and Northwestern region during the month of June 2009 compared to the same month of last year, small increase occurred in NDVI value in some parts of the Central Highlands in above mentioned period.

Large decrease occurred in NDVI in the Northeastern region and some parts in the Eastern region during the month of June 2009 over the same month of last year. There is no change of NDVI in the Southeastern region, Southern and Southwestern regions during the month of June 2009 compared to the same month of last year.

Comparison of monthly average of NDVI value for the month of June 2009 with the same month of long term average map(6) shows small increase of NDVI in the Northern region, Northwestern, Western parts of the Central Highlands and some parts of the Southeastern region during the month of June 2009 over the same month of log term average.

There is no change of NDVI value in the Southern and Southwestern regions during the month of June 2009 compared to the same month of long term average.

# Afghanistan Snow Depth for the of June 2009



During the winter months an usually deep snow pack built up. As temperature began to warm during the spring, the snow began to melt, and snow pack now remained confined to the higher elevations of the Northeast, as

is an usually deep typically for this time of year. Map (7) shows apperature began to the remaining snow pack in the Northeast the snow began to region in the end of June where the snow depth remained confined has been recorded 10-30 cm.

For more information please contact:

Name	Position	Cell	Email Address
Abdul Qadir Qadir	Director of AMA	0799-315843	afghanistan met authority@hotmail.com
Naseer Ahmad Fayez	Deputy Project Manager	0700-476311	Naseer.fayez@mail.gov.af

You can download the Afghanistan's Agromet Bulletins from this site:

http://afghanistan.cr.usgs.gov/agro.asp